| Ref<br>#  | Hits       | Search Query  | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|-----------|------------|---|---|---------------------|---------|------------------|
| S1        | 28         | partition near2 resources same protected                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2008/01/08 14:39 |
| S2        | 1795       | secure near2 resources                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/12/13 12:25 |
| S3        | 299        | secure near2 resources.ab.                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/12/13 12:25 |
| S4        | 72         | secure near2 resources.ti.                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/12/13 12:26 |
| S5        | 154        | secure near2 resources same operating adj system        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/12/13 12:26 |
| S6        | 9          | secure near2 resources same operating adj system.ab.    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/12/13 12:43 |
| <b>S7</b> | <b>571</b> | partition near2 resources same operating adj system     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/12/13 12:43 |
| S8        | 38         | partition near2 resources same operating adj system.ab. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2007/12/13 12:48 |

| S9  | 12   | protect near2 resources same operating adj system.ab.             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/12/13 12:48 |
|-----|------|---|---|------|------|------------------|
| S10 | 9    | secure near2 resources same operating adj system.ab.              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/12/13 12:49 |
| S11 | 154  | secure near2 resources same operating adj system                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/12/13 12:49 |
| S12 | 1    | secure near2 resources same operating adj system same allocat\$   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/12/13 12:49 |
| S13 | 49   | secure near2 resources same operating adj system and "713". clas. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR · | ON . | 2007/12/13 12:52 |
| S14 | . 30 | secure near2 resources same operating adj system and "726". clas. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2007/12/13 12:54 |
| S15 | 3502 | allocat\$ near2 resources same environment                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON   | 2007/12/13 12:54 |
| S16 | 127  | allocat\$ near2 resources same environment and "713".clas.        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON . | 2007/12/13 12:54 |

| S17 | 9    | allocat\$ near2 resources same environment.ab. and "713".clas. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON | 2007/12/13 12:55 |
|-----|------|--|---|------|----|------------------|
| S18 | . 33 | partition\$ near2 resources same environment and "713".clas.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 12:58 |
| S19 | 4    | partition\$ near2 resources same environment and "726".clas.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 12:58 |
| S20 | 0    | partition\$ near2 resources same environment and "723".clas.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 15:48 |
| S21 | 61   | partition\$ near2 resources same environment and "718".clas.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 15:49 |
| S22 | 108  | partition\$ near2 resources same hardware and "718".clas.      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 15:50 |
| S23 | 5    | partition\$ near2 resources same hardware.ab. and "718".clas.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 15:50 |
| S24 | 1    | partition\$ near2 resources same hardware.ab. and "713".clas.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 15:50 |

| S25 | 84    | partition\$ near2 resources same hardware and "713".clas.              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 15:51 |
|-----|-------|--|---|------|----|------------------|
| S26 | 34512 | partition\$ near2 resources same hardware same secureand "713". clas.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON | 2007/12/13 15:51 |
| S27 | 2     | partition\$ near2 resources same hardware same secure and "713". clas. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 15:51 |
| S28 | 244   | resources same hardware same secure and "713".clas.                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 15:51 |
| S29 | 7     | resources same hardware same secure.ab. and "713".clas.                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 15:53 |
| S30 | 20    | resources near2 secure.ab. and "713".clas.                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON | 2007/12/13 15:54 |
| S31 | 43    | resources near2 control.ab. and "713".clas.                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 15:57 |
| S32 | . 55  | resources near2 control.ab. and "718".clas.                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 15:58 |

| ,   |           |   |   |    | т  |                  |
|-----|-----------|---|---|----|----|------------------|
| S33 | 61        | resources near2 control.ab. and "726".clas.                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/12/13 16:00 |
| 534 | 1         | operating adj system near2<br>resources same partition.ab. and<br>"726".clas. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/12/13 16:00 |
| S35 | 30        | operating adj system near2 resources same partition.ab.                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/12/13 16:49 |
| S36 | 79        | operating adj system near2<br>resources same partition same<br>hardware       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/12/13 16:50 |
| S37 | <b>72</b> | S36 not S35   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/12/13 18:15 |
| S38 | 2         | "5835734".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/12/13 18:17 |
| S39 | 6         | "5835734".uref.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/12/13 18:17 |
| S40 | 55        | hardware adj partition same resources   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/12/13 18:23 |

| S41 | 252 | hardware near2 partition same resources                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 18:24 |
|-----|-----|---|---|------|----|------------------|
| S42 | 38  | hardware near2 partition same resources and "713".clas. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 19:42 |
| S43 | 46  | "717".clas. and transaction.ti.                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 18:56 |
| S44 | 213 | "717".clas. and transaction same commit                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 18:57 |
| S45 |     | "717".clas. and transaction same commit same insert     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ΟŃ | 2007/12/13 18:58 |
| S46 | 3   | "717".clas. and batch same commit same insert           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON | 2007/12/13 18:58 |
| S47 | 9   | "717".clas. and batch same commit same transaction      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 18:59 |
| S48 | 79  | "717".clas. and database same commit same transaction   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/12/13 19:04 |

|     | ,    |  | · · · · · · · · · · · · · · · · · · ·                             |    |    |                  |
|-----|------|--|---|----|----|------------------|
| S49 | 1    | "717".clas. and database same commit same transaction.ab.      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/12/13 18:59 |
| S50 | 16   | "6128771".uref.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/12/13 19:04 |
| S51 | 118  | context adj switching same register<br>same return             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/12/13 19:42 |
| S52 | 8    | context adj switching same register<br>same return adj address | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/12/13 19:44 |
| S53 | 2935 | register same return adj address                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/12/13 19:44 |
| S54 | 307  | register same return adj address.<br>ab.                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/12/13 19:44 |
| S55 | 5    | register same return adj address same context.ab.              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/12/13 19:47 |
| S56 |      | "6061711".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/12/13 19:58 |

| S57 | 3    | "3348211".pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/12/13 19:58 |
|-----|------|---|---|----|-----|------------------|
| S58 | 65   | allocating near2 resources same protection  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/01/08 14:59 |
| S59 | 1276 | operating adj system same partition same resources                                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/01/08 14:42 |
| S60 | 129  | operating adj system same partition same resources.ab.                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/01/08 14:42 |
| S61 | 805  | operating adj system same partition<br>near5 resources                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/01/08 14:42 |
| S62 | 90   | operating adj system same partition near5 resources.ab.                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/01/08 14:55 |
| S63 | 5    | (("4467409") or ("5067069") or<br>("5764861") or ("5918050") or<br>("20020194389")).PN. | US-PGPUB;<br>USPAT  | OR | OFF | 2008/01/08 14:55 |
| S64 | 3373 | operating adj system and resources same protection                                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2008/01/08 15:33 |
| S65 | 4    | (("20030110205") or<br>("20060031672") or ("5835734") or<br>("6470442")).PN.            | US-PGPUB;<br>USPAT  | OR | OFF | 2008/01/08 15:33 |